

in this application, including those not presently being amended, have been reproduced below for the Examiner's convenience.

9. (Twice Amended) An image forming apparatus comprising:
an envelope including first and second substrates and a frame disposed between said first and second substrates and forming a clearance therebetween;
image forming means disposed between said first and second substrates within said envelope, said image forming means including an electron emitting device disposed on said first substrate and an image forming member disposed on said second substrate, said image forming member forming an image responsive to an irradiation with an electron emitted from said electron emitting device; and
a heat insulating member for suppressing a thermal leakage, said member disposed on an outer surface of said envelope, including surfaces of said frame and said first and second substrates except for a surface region of said image forming means on at least one of said first and second substrates.

10. (Twice Amended) An image forming apparatus comprising:
an envelope including first and second substrates and a frame disposed between said first and second substrates and forming a clearance therebetween;
image forming means disposed between said first and second substrates within said envelope, said image forming means including an electron emitting device disposed on said first substrate and an image forming member disposed on said second substrate, said image forming member forming an image responsive to an irradiation with an electron emitted from said electron emitting device; and

Sub
cont
C1

a heat insulating member for suppressing a thermal leakage, said member disposed on an outer surface of said envelope, including surfaces of said frame and said first and second substrates except for a surface region of said image forming means on both of said first and second substrates.

11. (Not Amended) An image forming apparatus according to claim 9, wherein said heat insulating member is disposed on said second substrate.

12. (Not Amended) An image forming apparatus according to claim 9, wherein said heat insulating member is disposed on said first substrate.

13. (Not Amended) An image forming apparatus according to claim 9, further comprising heat dissipating means disposed on said surface region.

14. (Not Amended) An image forming apparatus according to claim 10, further comprising heat dissipating means disposed on said surface region.

15. (Not Amended) An image forming apparatus according to claim 11, further comprising heat dissipating means disposed on said surface region.

16. (Not Amended) An image forming apparatus according to claim 12, further comprising heat dissipating means disposed on said surface region.

Contd. - 1/cont. see

17. (Not Amended) An image forming apparatus according to claim 9, further comprising a heat conducting member disposed between an exterior surface of said envelope and said heat insulating member.

18. (Not Amended) An image forming apparatus according to claim 10, further comprising a heat conducting member disposed between an exterior surface of said envelope and said heat insulating member.

19. (Not Amended) An image forming apparatus according to claim 11, further comprising a heat conducting member disposed between an exterior surface of said envelope and said heat insulating member.

20. (Not Amended) An image forming apparatus according to claim 12, further comprising a heat conducting member disposed between an exterior surface of said envelope and said heat insulating member.

21. (Not Amended) An image forming apparatus according to claim 9, wherein said heat insulating member has a thermal conductivity smaller than said envelope.

22. (Not Amended) An image forming apparatus according to claim 17, wherein said heat conducting member has a thermal conductivity larger than said envelope.